

System	White	Silver	Gold	Bronze	Black	Chrome Effect	Gun Metal	Cream	Anthracite	Brushed Aluminium
1011		•								
1012		•		•						
1021	•	•	•	•						
1025	•	•	•	•						
1080	•	•	•	•	•			•		
3600	•	•	•	•	•			•		
1090	•	•		•						
6290	•									
6021	•									
1200	•									
1200 Metallic		•			•	•	•		•	•
1221	•									
1225	•									
1280	•									
3840 W	•									

## Colours

A wide variety of colours is available as standard. In addition to the standard colours, a custom-colouring service is available.

[www.silentgliss.co.uk](http://www.silentgliss.co.uk)

Silent Gliss Ltd  
 Head Office and Factory  
 Pyramid Business Park  
 Poorhole Lane, Broadstairs  
 Kent CT10 2PT

Tel: 00 44 (0)1843 863571  
 Fax: 00 44 (0)1843 864503  
 E-mail: [sales@silentgliss.co.uk](mailto:sales@silentgliss.co.uk)

5  
 Year Guarantee



Hand Operated  
 Curtain Track Systems



## Hand Operated Curtain Track Systems


Invented in the early 1950's our precision engineered tracks are found all over the world, guaranteeing smooth, trouble-free operation. Our extensive range covers tracks from lightweight right up to systems for very heavy interlined curtains, the perfect solution for both contract and domestic applications.

Systems	Description
Silent Gliss 1011, 1012	Light – medium weight curtains. Unobtrusive white or silver profile. System 1011 is recess fix. System 1012 is ceiling fix. Can be bent. Supplied pre-drilled.
Silent Gliss 1021, 1025	Light – medium weight curtains. Discreet profile in standard colours silver, bronze, white and gold. System 1021 is wall fix. System 1025 is ceiling fix. Can be bent. Supplied pre-drilled.
Silent Gliss 1080	Light – Medium – Heavy weight curtains. Ideal for deep headings. Wall or ceiling fix. Can be bent. Wall or ceiling fix.
Silent Gliss 3600	System 1080 is adapted to operate as a discreet picture hanging system.
Silent Gliss 1090	Light weight curtains. Wall or ceiling fix. Can be bent.
Silent Gliss 6290, 6021	Light – medium weight curtains. Safety track – gliders separate from the track at a specific weight. Ideal for schools and hospitals. System 6290 is ceiling fix. System 6021 is wall fix. Profile is white as standard. Cannot be bent.
Silent Gliss 1200	Light – medium weight curtains. Wall or ceiling fix. Profile is white as standard but is also available in a range of metallic colours. Can be bent. 'Quick Clip' gliders can be added or removed whilst the track is still in situ.
Silent Gliss 1221, 1225	Medium – heavy weight curtains. System 1221 is wall fix. System 1225 is ceiling fix. Profile is white as standard. Cannot be bent. 'Quick Clip' gliders can be added or removed whilst the track is still in situ.
Silent Gliss 1280	Heavy weight curtains. Profile white as standard. Wall or ceiling fix. Can be bent.
Silent Gliss 3840W	Light – medium weight curtains. For use with the Silent Gliss Wave and Wave XL curtain heading systems. Can be forward or reverse bent. Ceiling and wall fix.



### Silent Gliss 1011, 1012

Discreet, efficient.



### Silent Gliss 3600

Picture hanging system.



### Silent Gliss 1200

Robust and versatile.




### Silent Gliss 3840W

For Wave and Wave XL curtain heading systems.



### Silent Gliss 1021, 1025

Discreet wall or ceiling fix.



### Silent Gliss 1090

Neat but remarkably strong.




### Silent Gliss 1221, 1225

Robust and strong.



### Wave

Only use with system 3840W.



### Silent Gliss 1080

Europe's best selling and most versatile curtain track.



### Silent Gliss 6290, 6021

Safety track for contract applications.



### Silent Gliss 1280

With roller gliders for heavy duty.

















### Wave XL


Only use with system 3840W.















# Hand Operated Curtain Track Systems





# Application Chart


Specification	Profile					Features / Options						Fitting Options				Fitting Surfaces			System	
	Weight Range	Profile Number	Dimensions in mm	Gliding Channel (mm)	Standard Bending Radius (mm)	Recess Profile	Wave Glider Cord	Retrofit Glider	Quick-Clip Glider	Roller Glider	Safety Glider	Picture Hanging System	Ceiling Fix	Recess Fix	Wall Fix	Direct Fixing	Wood	Concrete		Suspended ceiling
	1011		3.7	60	●	●							●		●	●				1011
	1012		3.7	100		●							●			●	●	●		1012
	1021		3.7	100		●								●	●	●				1021
	1025		3.7	100		●							●		●	●				1025
	1090		3.7	200		●							●	●		●	●	●		1090
	1080		3.7	200		●							●	●		●	●	●		1080
	1200			100			●						●	●		●	●	●		1200





Specification	Profile				Features / Options						Fitting Options				Fitting Surfaces			System			
	Weight Range	Profile Number	Dimensions in mm	Gliding Channel (mm)	Standard Bending Radius (mm)	Recess Profile	Wave Glider Cord	Retrofit Glider	Quick-Clip Glider	Roller Glider	Safety Glider	Picture Hanging System	Ceiling Fix	Recess Fix	Wall Fix	Direct Fixing	Wood		Concrete	Suspended ceiling	
	1221							●							●	●	●	●			1221
	1225							●					●			●	●	●			1225
	1080			3.7	60							●			●		●	●			3600
	3841			5.4	200		●						●		●		●	●	●		3840W
	6021			5.4							●				●	●	●	●			6021
	6290			5.4							●				●		●	●			6290
	1280				200			●	●				●		●		●	●	●		1280

 Systems 1003 and 6130 are also hand drawn tracks but with a round profile; please refer to the Decorative Curtain Poles section of the catalogue.

 Light-weight applications

 Medium-weight applications

 Heavy-duty applications









[www.silentgliss.co.uk](http://www.silentgliss.co.uk)

Silent Gliss Ltd  
Pyramid Business Park  
Poorhole Lane  
Broadstairs  
Kent  
CT10 2PT  
Great Britain

Tel: 0044 (0) 1843 863571  
Fax: 0044 (0) 1843 864503  
[sales@silentgliss.co.uk](mailto:sales@silentgliss.co.uk)