



Roman Blind Systems



Roman Blind Systems

A comprehensive range of systems and components that combine to produce attractive and professionally produced Roman blinds.

Systems	Description
Silent Gliss 2020	Chain operated. Cassettes preloaded with tapes. Fast gear operation, blind stops automatically without 'locking-off'. Wall or ceiling fix. Maximum width 2.5m, maximum drop 3m.
Silent Gliss 2120	Chain operated. Enclosed take up reels avoid tangled tapes. Wall or ceiling fix. Maximum width 4m, maximum drop 6m.
Silent Gliss 2320 Silent Gliss 2330	Chain operated. Precision wind-up mechanism concealed in a discreet profile. Blind easily removed for cleaning. Wall or ceiling fix. System 2320: maximum width 3m, maximum drop 3m, maximum weight 2.5kg. System 2330: maximum width 3m, maximum drop 3m, maximum weight 4.5kg.
Silent Gliss 2350	Electrically operated. Tubular motor concealed in a discreet headrail. Blind easily removed for cleaning. Wall or ceiling fix. Operate via fixed switch or remote control. Maximum width 6m, maximum drop 6m.



Silent Gliss 2020

Simple to operate and robust chain operation.



Silent Gliss 2320 Silent Gliss 2330

Chain operation with an enclosed headbox.



Silent Gliss 2120

Chain operated with no tangled tapes.



Silent Gliss 2350

Electrically operated with an enclosed headbox.



www.silentgliss.co.uk

Silent Gliss Ltd
Head Office and Factory
Pyramid Business Park
Poorhole Lane, Broadstairs
Kent CT10 2PT

Tel: 00 44 (0)1843 863571
Fax: 00 44 (0)1843 864503
E-mail: sales@silentgliss.co.uk


5
Year Guarantee



Roman Blind Systems




Application Chart

Specification	Dimensions				Operation	Profile		Features / Options	Fitting Options		Fitting Surfaces		System		
	Weight Range	max.	max.	m ² max.		kg max.	Profile Number		Dimensions in mm	Radio Control	Easy Cleaning	Ceiling Fix		Wall Fix	Wood
	3m	3m	9m ²	2.5kg		2321		●	●	●	●	●	●	●	2320
	2.5m	3m	7.5m ²	3kg		2116			●	●	●	●	●		2020
	3m	3m	9m ²	4.5kg		2321		●	●	●	●	●	●	●	2330
	3.25m	2.5m	8m ²	5kg		2116			●	●	●	●	●		2100
	4m	6m	24m ²	8kg		2211			●	●	●	●	●		2120
	6m	6m	36m ²	15kg		2351		●	●	●	●	●	●	●	2350




Headrail Options

Roman Soft Fold




Fabric requirements:
Height + 20 cm
Width + 15 cm
Approx. stack when open:
20 / 35 cm

Roman Hard Fold




Fabric requirements:
Height + 20 cm
Width + 15 cm
Approx. stack when open:
25 / 35 cm

Roman Semi-Hard Fold




Fabric requirements:
Height + 20 cm
Width + 15 cm
Approx. stack when open:
25 / 35 cm

Austrian



Fabric requirements:
Height x 2
Width + 10 / 15 cm per wave
Approx. stack when open:
40 / 50 cm

Festoon



Fabric requirements:
Height + 200 / 300%
Width x 2
Approx. stack when open:
40 / 50 cm



www.silentgliss.co.uk

Silent Gliss Ltd
Pyramid Business Park
Poorhole Lane
Broadstairs
Kent
CT10 2PT
Great Britain

Tel: 0044 (0) 1843 863571
Fax: 0044 (0) 1843 864503
sales@silentgliss.co.uk