



Sliding Panel Systems

Sliding Panel Systems

A unique dimension to window treatments – perfect for today's extensive glazed areas or for use as a room divider.

Systems	Description
Silent Gliss 2600 Panel Fold Silent Gliss 2640 Panel Fold	Large folding fabric panels hang from Velcro hangers to create a soft, undulating wall of fabric. System 2600: chain operated. System 2640: crank operated. Ceiling fix recommended but wall fix available. Panels can be specified between small, medium and large. Maximum width 3.24m, maximum drop 3m (maximum of 5 panels).
Silent Gliss 2650 Panel Fold	Electrically operated system with large folding fabric panels that hang from Velcro hangers to create a soft, undulating wall of fabric. Additional recess profile option to allow fabric to hang closer to the ceiling. Ceiling fix recommended but wall fix available. Panels can be specified between small, medium and large. Maximum width 5m, maximum drop 3m.
Silent Gliss 2700 Panel Glide	Hand, cord or electrically operated. Large fabric panels hang from Velcro hangers to create a wall of fabric. Ceiling fix recommended but wall fix available. Maximum drop in all cases is 4m. Hand operation: unlimited width. Cord operation maximum width 6m. Electric operation: maximum width 10m.
Silent Gliss 2730 Flex	Hand operated. Large fabric panels hang from flexible hangers to create a wall of fabric. Ceiling fix recommended but wall fix available. Can be bent to a minimum radius of 15cm. Maximum drop in all cases is 3m. Maximum width: unlimited for unconnected panels. Maximum width: 6m for connected panels.
Silent Gliss 2760 Flex	Panel glide system perfect for room dividing; suspended from adjustable, elegant hangers and enhanced with sophisticated design features. Ideal for uneven ceilings and hospital environments. Can be bent to a minimum radius of 15cm. Maximum drop is 3m. Maximum width: unlimited for unconnected panels, 6m for connected panels.



Silent Gliss 2600

Panel Fold – Chain Operated

Silent Gliss 2640

Panel Fold – Crank Operated

A folding panel system that can create countless different looks.



Silent Gliss 2650

Panel Fold

A motorised folding panel system which can be operated by fixed wall switch or remote control.



Silent Gliss 2700

Panel Glide

Innovative carriers with sophisticated roller gliders allow smooth and virtually silent gliding of panels.



Silent Gliss 2730 Flex

Innovative & Bendable

The bendable track and flexible carriers enable this system to be bent to even the tightest of radius.

No More Blocked Views

Panels can be easily stacked around the corner for undisturbed views.



Silent Gliss 2760 Flex

Sleek and versatile

Sophisticated hangers adjust to accommodate varying ceiling heights. May be bent for endless application possibilities.

www.silentgliss.co.uk

Silent Gliss Ltd
Head Office and Factory
Pyramid Business Park
Poorhole Lane, Broadstairs
Kent CT10 2PT

Tel: 00 44 (0)1843 863571
Fax: 00 44 (0)1843 864503
E-mail: sales@silentgliss.co.uk



Sliding Panel Systems



Application Chart

Operation	Dimensions		Applications	Profile	Features / Options			Fitting Options			Fitting Surfaces	System									
	max	max			Gliding Channel (mm)	Number of Channels	Min. Bending Radius (mm)	Rollers and Gliders available	Various Motor Options	Radio Control			Design Fascia available	Easy Washing	Folding Panel	Ceiling Fix	Wall Fix	Recess Fix	Wood	Concrete	Suspended Ceiling
	∞	4 m	● ● ● ●	10122 / 10123 / 10124 / 10125	Various Profile Options	4.2	2-5	150	●	●	●	●	●	●	●	●	●	2700			
	6 m	4 m	● ● ● ●						●	●	●	●	●	●	●	●	●		●	●	●
	10 m	4 m	● ● ● ●						●	●	●	●	●	●	●	●	●		●	●	●
	∞	3 m	● ● ● ●	10132 / 10133 / 10134 / 10135	Various Profile Options	4.2	2-5	150	●	●	●	●	●	●	●	●	●	2730			
	6 m	3 m	● ● ● ●						●	●	●	●	●	●	●	●	●		●	●	
	∞	3 m	● ● ● ●	10133 / 10134 / 10135	Various Profile Options	4.2	3-5	150	●	●	●	●	●	●	●	●	●	2760			
	6 m	3 m	● ● ● ●						●	●	●	●	●	●	●	●	●		●	●	
	3.24 m	3 m	● ● ● ●	2601					●	●	●	●	●	●	●	●	●	2600			
	5 m	3 m	● ● ● ●	2655					●	●	●	●	●	●	●	●	●	2640			
	5 m	3 m	● ● ● ●	2655					●	●	●	●	●	●	●	●	●	2650			



www.silentgliss.co.uk

Silent Gliss Ltd
Pyramid Business Park
Poorhole Lane
Broadstairs
Kent
CT10 2PT
Great Britain

Tel: 0044 (0) 1843 863571
Fax: 0044 (0) 1843 864503
sales@silentgliss.co.uk