

# Roller Blind Systems



This brochure contains colour illustrations and a summary specification for each of the systems in this product group to assist your clients in making their choice.

From the superbly reliable and successful 4800 spring roller blind with decelerator to the 4880 heavy duty electric system, Silent Gliss offer the most comprehensive and technically superior range available. There are electric and chain versions at all levels and many unique features such as stop controllers and double function (spring and chain operation).




### Silent Gliss Corazza System 4140 ►

For the ultimate stylish look.


The 4800 spring operated system can be contained within one of four stunning Corazza casings available in chrome, black and silver. Maximum width 200cm, maximum drop 280cm and minimum width 50cm. Corazza is available with a stylish range of grips and bottom pulls.




Pull



Anchor



Bullet



Circus



Puck



Icicle



Bolide



### ◀ Silent Gliss 4220

**Tensioned wire supported roller blind for sloping and horizontal applications.**

High quality tensioned roller blind system with a wide range of fixing accessories to suit almost all situations. Tension is assured by special stop controller and spring balance sets. Pull diverters ensure equal tension over the blind. Continuous headrail with snap brackets allows choice of fixing points. Suitable for blinds up to 2m wide and 2m drop.

### Silent Gliss 4800 ►

**Spring operated high performance roller blind.**

The 4800's patented decelerator mechanism – tested to 25,000 operations – ensures the smooth, controlled ascent of even our largest roller blinds, creating a silent, maintenance free, high quality roller blind. The unique stop controller halts the blind at any given position – ideal for very tall windows or contracts where all blinds must be at the same level when viewed from outside. Side-by-side system available. Suitable for blinds up to 2m wide and 3m drop.



### ◀ Silent Gliss 4810

**Chain operated for finger touch operation.**

This side operated roller blind system offers the most precise and balanced movement on the market thanks to a new spring clutch and gear set. With left or right operation the blind can be stopped instantly at any position. Bottom bars in white (standard), silver or black. Also available as a double system and with various fixing methods including continuous headrail. Side by side system available. Suitable for blinds up to 2m wide and 3m drop.



◀ **Silent Gliss 4810DF**  
**Chain and spring operated blind in one!**

A unique system which allows the blind to be lowered with the sidewinder chain but then to be opened by spring with a slight tug on the bottom bar or chain. The spring release with speed controller makes opening much quicker and smoother, especially where there are banks of blinds. Side by side system with minimum light gaps also available. Suitable for blinds up to 2m wide and 3m drop.

**Silent Gliss 4820 ▶**  
**Chain operation for medium weight applications.**

The 4820 chain operated roller blind has a larger headrail (40mm) than the 4810 roller blind and is ideal for screen or heavy laminated fabrics. A double spring version for very heavy fabrics will be automatically supplied at no extra cost when required. Side-by-side system available. Suitable for blinds up to 2.3m wide and 3m drop.




◀ **Silent Gliss 4830**  
**Medium to medium heavy duty chain operation.**

A unique planetary gear to ensures smooth operation of the blind, even when covering large widths and drops. An intermediate snap in bracket makes for easy fitting for connected systems and a minimal light gap between blinds. Optional side guide wires are available. Bracket covers provide a neat appearance. Double systems available with single chain operation. Suitable for blinds up to 3.3m wide and 4m drop.

**Silent Gliss 4860 ▶**  
**Medium duty electrically operated roller blind with a choice of fixed switch or remote control operation.**

Extremely quiet mains operated blind. Ideal for conference / audio visual rooms or for high and inaccessible positions. Fixed switch or remote control. An average speed of operation of 15cm/sec. Double systems available using one motor. Suitable for blinds up to 2.3m wide and 3.5m drop.



### **Silent Gliss 4870 ►**

**Medium duty electrically operated roller blind with a choice of fixed switch or remote control operation.**

Extremely quiet mains operated blind. Ideal for conference / audio visual rooms or for high and inaccessible positions. Fixed switch or remote control. An average speed of operation of 15cm/sec. Double systems available using one motor. Suitable for blinds up to 2.3m wide and 3.5m drop.



### **◄ Silent Gliss 4880**

**Medium duty electrically operated roller blind with a choice of fixed switch or remote control operation.**

Extremely quiet mains operated blind. Ideal for conference / audio visual rooms or for high and inaccessible positions. Fixed switch or remote control. An average speed of operation of 15cm/sec. Double systems available using one motor. Suitable for blinds up to 2.3m wide and 3.5m drop.

### **Roller Blind Fabrics**

The slow ascent of the 4800 and other systems means that conventionally stiffened fabrics need not be used. Silent Gliss offer the Colorama range of soft washable fabrics with a unique ultrasonically sealed edge - the difference and sheer luxury of a soft roller blind have to be seen to be appreciated. Many other flame retardant fabrics are contained within our technical collection.

Using the laminating process we can take most of our fabrics from the Signé 2 Collection to create the ultimate in luxury domestic roller blinds.

As an alternative, we can take almost any fabric and laminate it with a backing cloth. This way designers can create their own blinds to enhance the overall look desired.

Silent Gliss Ltd  
Head Office and Factory  
Pyramid Business Park  
Poorhole Lane, Broadstairs  
Kent CT10 2PT

Tel: 00 44 (0)1843 863571  
Fax: 00 44 (0)1843 864503  
E-mail: [sales@silentgliss.co.uk](mailto:sales@silentgliss.co.uk)  
[www.silentgliss.co.uk](http://www.silentgliss.co.uk)



Year Guarantee

